



KẾT QUẢ QUAN TRẮC KHÍ THẢI TỰ ĐỘNG, LIÊN TỤC THÁNG 4/2023

Tên: Chi nhánh Công ty CP Thép Việt Ý tại Hải Phòng

Địa Chỉ: xã Hoàng Động và xã Kiền Bái, huyện Thủy Nguyên, thành phố Hải Phòng.

Từ: 00:00' ngày 01/04/2023 đến 23:59' ngày 30/04/2023

Loại: Hour

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
1	30/04/2023 23:00	1,49	1,55	1,02	20,94	25,39	1857,37	7243,59	24,17	101,33
2	30/04/2023 22:00	1,96	22,06	9,12	20,95	26,03	1870,5	1765,06	24,65	101,33
3	30/04/2023 21:00	1,51	1,62	1,04	21,04	25,99	1867,31	1760,61	24,81	101,33
4	30/04/2023 20:00	1,6	1,66	1,06	21,03	25,11	1896,74	1766,98	25,39	101,33
5	30/04/2023 19:00	1,56	1,66	1,06	21,01	23,29	1887,99	1780,11	26,23	101,33
6	30/04/2023 18:00	1,65	1,74	1,12	20,99	18,95	1939,3	1790,46	28,12	101,33
7	30/04/2023 17:00	1,62	1,68	1,07	20,98	16,8	1932,94	1771,36	29,52	101,33
8	30/04/2023 16:00	1,49	5,83	2,7	20,93	19,59	1908,28	1764,99	29,46	101,33
9	30/04/2023 15:00	1,58	1,67	1,09	20,85	24,22	1907,49	1774,14	28,16	101,33
10	30/04/2023 14:00	1,64	1,97	1,17	20,85	22,68	1935,33	1784,09	29,32	101,33
11	30/04/2023 13:00	1,45	3,43	1,53	20,85	16,02	1882,43	7217,33	30,26	101,33
12	30/04/2023 12:00	1,45	3,57	1,86	20,88	17,58	1911,46	1747,88	30,44	101,33
13	30/04/2023 11:00	1,43	1,52	0,94	20,91	18,03	1927,37	1744,3	31,07	101,33
14	30/04/2023 10:00	1,53	23,9	10,86	20,93	14,97	1919,96	3755,98	30,78	101,33
15	30/04/2023 9:00	1,47	1,6	1,01	21,02	13,83	1896,75	18178,11	28,66	101,33
16	30/04/2023 8:00	1,53	1,56	0,99	21,03	17,15	1863,99	1728,61	25,3	101,33
17	30/04/2023 7:00	1,56	1,65	1,07	21,01	22,31	1865,72	1755,44	23,85	101,33
18	30/04/2023 6:00	1,53	1,62	1,05	21,01	26,19	1860,15	1751,86	23,07	101,33
19	30/04/2023 5:00	1,44	1,55	0,95	20,95	26,49	1833,11	3570,1	23,01	101,33
20	30/04/2023 4:00	1,67	5,76	3,14	20,92	25,94	1887,2	7286,16	23,56	101,33
21	30/04/2023 3:00	1,63	1,7	1,08	20,89	25,76	1875,66	1770,16	23,96	101,33
22	30/04/2023 2:00	1,64	1,71	1,11	20,88	24,24	1883,62	1775,33	24,18	101,33
23	30/04/2023 1:00	1,51	1,61	1,06	20,89	23,62	1890,38	5443,25	24,74	101,33
24	30/04/2023 0:00	1,56	1,62	1,03	20,9	22,66	1879,64	1757,03	24,8	101,33
25	29/04/2023 23:00	1,58	1,67	1,06	20,9	25,29	1897,14	1767,78	24,8	101,33
26	29/04/2023 22:00	1,4	4,7	1,79	20,94	25,6	1863,34	1745,89	24,99	101,33
27	29/04/2023 21:00	1,38	9,99	3,97	21,02	24,85	1860,08	1725,56	25,4	101,33
28	29/04/2023 20:00	1,56	20,22	7,61	21	23,69	1888	1753,05	25,42	101,33
29	29/04/2023 19:00	1,48	18,44	7,43	20,98	23,11	1899,93	1772,55	26,06	101,33
30	29/04/2023 18:00	1,42	8,38	3,39	20,97	23,68	1869,7	3568,11	26,62	101,33
31	29/04/2023 17:00	1,62	15,57	7,32	20,95	22,45	1917,43	3608,3	28,21	101,33



TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
32	29/04/2023 16:00	1,8	24,03	10,47	20,93	15,29	1928,56	1787,27	29,98	101,33
33	29/04/2023 15:00	1,51	1,59	0,99	20,9	12,25	1895,95	1773,35	29,23	101,33
34	29/04/2023 14:00	1,49	1,55	1,02	20,9	22,69	1858,16	1749,47	24,94	101,33
35	29/04/2023 13:00	1,66	1,74	1,12	20,89	25,55	1889,98	1781,7	24,44	101,33
36	29/04/2023 12:00	1,5	1,58	1,01	20,91	24,43	1849,02	1744,7	24,64	101,33
37	29/04/2023 11:00	1,53	1,61	1,02	20,94	26	1845,84	1751,06	24,15	101,33
38	29/04/2023 10:00	1,54	3,99	1,75	20,98	26,39	1850,61	1765,78	24,16	101,33
39	29/04/2023 9:00	1,67	9,76	4,88	21,08	26,86	1860,95	1763,33	24,39	101,33
40	29/04/2023 8:00	1,6	6,24	3,01	21,08	23,42	1885,21	1770,96	26,21	101,33
41	29/04/2023 7:00	1,44	1,57	1,03	21,04	18,12	1881,78	1750,74	26,68	101,33
42	29/04/2023 6:00	1,63	7,89	3,63	21,01	21,45	1908,28	1777,33	26,69	101,33
43	29/04/2023 5:00	1,52	1,63	1,04	20,99	23,17	1888,79	1771,75	26,68	101,33
44	29/04/2023 4:00	1,72	4,56	1,42	20,95	23,24	1924,99	3638,94	26,7	101,33
45	29/04/2023 3:00	1,53	2,85	1,05	20,87	22,02	1877,66	1748,68	26,68	101,33
46	29/04/2023 2:00	1,91	18,31	7,57	20,88	20,03	1908,68	1781,56	27,15	101,33
47	29/04/2023 1:00	1,65	1,74	1,1	20,92	17,44	1919,42	1783,29	27,32	101,33
48	29/04/2023 0:00	1,54	1,6	1,05	20,92	20,59	1878,45	1754,24	27,32	101,33
49	28/04/2023 23:00	1,54	1,64	1,07	20,92	22,8	1888,63	1754,17	27,57	101,33
50	28/04/2023 22:00	1,52	10,36	4,49	20,92	22,5	1895,15	1759,42	27,93	101,33
51	28/04/2023 21:00	1,29	1,39	0,89	20,99	21,88	1834,7	1711,27	27,92	101,33
52	28/04/2023 20:00	1,58	1,63	1,08	20,99	22,25	1906,08	1765,93	27,95	101,33
53	28/04/2023 19:00	1,59	1,64	1,05	20,96	20,79	1912,25	1766,58	28,56	101,33
54	28/04/2023 18:00	1,48	1,61	1,06	20,95	22,29	1897,83	3762,49	28,98	101,33
55	28/04/2023 17:00	1,42	1,5	0,96	20,95	24	1897,14	7263,09	29,2	101,33
56	28/04/2023 16:00	1,51	9,68	3,63	20,9	24,6	1884,42	1748,68	29,18	101,33
57	28/04/2023 15:00	1,56	3,19	1,38	20,81	24,89	1920,21	1762,21	29,51	101,33
58	28/04/2023 14:00	1,5	9,07	1,84	20,82	24,29	1900,73	1760,61	29,81	101,33
59	28/04/2023 13:00	1,24	1,71	0,81	20,84	23,97	1832,31	1693,38	30,27	101,33
60	28/04/2023 12:00	2,06	26,45	9,14	20,83	22,95	3091,93	1743,11	29,87	101,33
61	28/04/2023 11:00	1,33	28,01	11,12	20,87	23,46	1837,09	1699,34	29,16	101,33
62	28/04/2023 10:00	1,62	22,59	10,11	20,94	23,83	3238,55	1768,97	28,28	101,33
63	28/04/2023 9:00	1,49	24,24	12,47	21,01	24,21	1866,16	1735,11	27,93	101,33
64	28/04/2023 8:00	1,32	20,89	11,14	20,95	23,85	1833,61	1691,28	27,78	101,33
65	28/04/2023 7:00	1,66	18,58	9,33	20,99	22,58	1901,12	5440,07	27,32	101,33
66	28/04/2023 6:00	1,6	10,2	4,43	20,97	23,44	1881,23	1750,27	26,99	101,33
67	28/04/2023 5:00	1,71	1,53	0,98	20,95	22,22	1871,69	1744,7	26,67	101,33
68	28/04/2023 4:00	2,38	39,6	17,91	20,92	23,08	1890,38	1779,71	26,7	101,33
69	28/04/2023 3:00	1,55	6,27	3,53	20,91	23,6	1875,7	1761,15	27,08	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
70	28/04/2023 2:00	1,61	5,85	2,96	20,9	22,84	1883,22	1765,39	27,32	101,33
71	28/04/2023 1:00	1,62	15,71	6,78	20,91	23,16	1878,45	1768,17	27,31	101,33
72	28/04/2023 0:00	1,45	14,98	6,45	20,91	22,42	1849,41	1729,18	27,3	101,33
73	27/04/2023 23:00	1,46	3,16	1,32	20,94	23,4	1853,14	1765,06	27,31	101,33
74	27/04/2023 22:00	1,61	6,4	2,76	20,94	23,03	1875,27	1745,89	27,3	101,33
75	27/04/2023 21:00	1,51	1,58	1,01	20,98	23,83	1870,1	1751,86	27,31	101,33
76	27/04/2023 20:00	1,4	1,45	0,97	20,97	22,49	1824,07	1712,11	27,93	101,33
77	27/04/2023 19:00	1,44	7,03	1,67	20,94	22,26	1863,12	1720,36	28,33	101,33
78	27/04/2023 18:00	1,66	1,77	1,16	20,96	22,21	1907,88	1769,37	29,2	101,33
79	27/04/2023 17:00	1,62	2,43	1,09	20,94	20,42	1907,08	1771,75	30,09	101,33
80	27/04/2023 16:00	1,59	15,41	6,38	20,98	19,52	1902,32	1770,96	30,61	101,33
81	27/04/2023 15:00	1,35	1,42	0,88	21,15	19	1866,52	3541,86	31,52	101,33
82	27/04/2023 14:00	1,1	1,19	0,72	21,12	15,16	1848,8	7713,94	33,55	101,33
83	27/04/2023 13:00	1,68	1,72	1,13	21,05	12,83	1939,7	1761,01	33,23	101,33
84	27/04/2023 12:00	1,78	1,87	1,17	20,94	13,64	1928,2	1779,82	32,97	101,33
85	27/04/2023 11:00	1,76	5,68	1,6	20,83	15,41	2059,81	1738,33	32,53	101,33
86	27/04/2023 10:00	2,73	40,2	16,41	20,91	17,49	1935,33	1778,92	31,92	101,33
87	27/04/2023 9:00	1,95	1,98	1,28	20,96	20,75	1948,05	3630,18	32,51	101,33
88	27/04/2023 8:00	1,91	1,94	1,25	20,96	22,26	3282,45	1764,2	29,88	101,33
89	27/04/2023 7:00	1,82	1,86	1,11	20,95	25,17	3503,22	1754,21	26,51	101,33
90	27/04/2023 6:00	1,72	1,79	1,19	20,92	26,26	5189,18	1770,56	25,54	101,33
91	27/04/2023 5:00	1,85	2,04	1,28	20,91	25,83	1863,74	3611,88	26,07	101,33
92	27/04/2023 4:00	2,66	23,21	10	20,9	23,07	1881,24	5463,94	26,07	101,33
93	27/04/2023 3:00	1,9	1,95	1,26	20,93	24,49	1863,34	1765,79	26,05	101,33
94	27/04/2023 2:00	1,89	1,93	1,26	20,93	22,49	1845,83	1742,31	26,06	101,33
95	27/04/2023 1:00	1,88	1,91	1,23	20,92	22,38	1874,87	1779,71	26,18	101,33
96	27/04/2023 0:00	1,97	2,03	1,32	20,95	24,01	1878,85	3617,05	26,7	101,33
97	26/04/2023 23:00	2	1,98	1,25	20,95	25,52	1872,08	1773,74	26,7	101,33
98	26/04/2023 22:00	2,1	16,03	7,19	20,94	26,33	1862,54	1770,96	27,21	101,33
99	26/04/2023 21:00	1,64	1,64	1,06	20,97	26,44	1800,64	1698,22	27,32	101,33
100	26/04/2023 20:00	1,77	1,81	1,18	20,96	26,17	1836,65	1811,94	27,93	101,33
101	26/04/2023 19:00	1,92	1,92	1,26	20,95	25,47	1889,15	3459,97	28,64	101,33
102	26/04/2023 18:00	1,83	11,1	4,27	20,91	22,78	1845,83	3587,21	29,18	101,33
103	26/04/2023 17:00	2	2,06	1,33	20,92	25,29	1898,73	1793,24	29,53	101,33
104	26/04/2023 16:00	2,65	20,61	9,3	20,91	24,58	1912,66	3626,2	30,88	101,33
105	26/04/2023 15:00	1,94	1,99	1,31	20,89	18,96	1917,69	1779,58	32,83	101,33
106	26/04/2023 14:00	1,79	1,81	1,12	20,89	9,26	1899,93	1743,11	33,36	101,33
107	26/04/2023 13:00	1,85	1,92	1,18	20,88	15,38	1893,96	1761,01	32,12	101,33

9002
CHI
ÔNG
THỂ
TẠI
NGU

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
108	26/04/2023 12:00	1,89	1,95	1,27	20,92	19,31	1889,98	1780,51	31,24	101,33
109	26/04/2023 11:00	1,75	1,8	1,13	20,93	21,68	1855,78	3593,58	30,43	101,33
110	26/04/2023 10:00	2,46	20,36	8,18	20,92	24,49	1898,73	1802,78	29,37	101,33
111	26/04/2023 9:00	1,71	1,81	1,18	20,97	25,39	1811,63	1756,23	28,14	101,33
112	26/04/2023 8:00	1,86	4,07	2,08	20,95	25,09	1842,26	1746,69	27,93	101,33
113	26/04/2023 7:00	1,77	6,4	2,63	20,92	25,87	1814,52	1748,57	27,13	101,33
114	26/04/2023 6:00	1,91	1,94	1,28	20,93	26,55	1836,29	1772,55	26,68	101,33
115	26/04/2023 5:00	1,87	1,93	1,27	20,94	27,03	1835,78	1757,68	26,68	101,33
116	26/04/2023 4:00	2,71	35,96	14,2	20,91	26,8	1825,15	1777,32	26,69	101,33
117	26/04/2023 3:00	1,96	2,02	1,28	20,87	27,4	1838,68	1775,73	26,95	101,33
118	26/04/2023 2:00	1,91	1,95	1,3	20,87	27,63	1831,12	1772,55	27,31	101,33
119	26/04/2023 1:00	1,78	1,82	1,18	20,91	28,04	1802,09	1743,9	28,08	101,33
120	26/04/2023 0:00	1,95	1,97	1,3	20,93	26,52	1863,73	1782,5	29,21	101,33
121	25/04/2023 23:00	1,78	1,67	1,09	20,93	25	1828,34	1738,33	29,54	101,33
122	25/04/2023 22:00	2,35	29,07	12,72	20,93	24,58	1852,6	1753,85	29,82	101,33
123	25/04/2023 21:00	1,74	1,8	1,17	21,03	24,49	1829,53	1742,32	30,38	101,33
124	25/04/2023 20:00	1,69	1,82	1,11	21,01	25,44	1854,59	1762,21	30,75	101,33
125	25/04/2023 19:00	1,49	1,5	0,86	21	25,18	1749,98	1702,13	31,03	101,33
126	25/04/2023 18:00	1,73	3,06	1,16	20,98	25,89	1825,55	1757,83	31,07	101,33
127	25/04/2023 17:00	2,66	1,85	1,21	20,96	27,05	1829,92	1762,21	31,92	101,33
128	25/04/2023 16:00	5,16	32,75	13,83	20,91	26,45	1879,61	1765,06	37,74	101,33
129	25/04/2023 15:00	6,66	1,42	0,96	20,77	23,86	193468,24	249061,07	50,02	101,33
130	25/04/2023 14:00	76,87	1,56	1	20,52	18,65	365020,55	421676,02	68,04	101,33
131	25/04/2023 13:00	51,22	1,8	1,19	20,73	24,6	340961,55	375676,58	51,05	101,33
132	25/04/2023 12:00	12,71	1,7	1,14	20,74	23,56	251669,8	281355,69	49,04	101,33
133	25/04/2023 11:00	23,36	1,89	1,18	20,92	24,25	121103,83	154527,59	51,2	101,33
134	25/04/2023 10:00	60,91	24,61	9,7	20,45	23,03	318735,6	396308,5	68,93	101,33
135	25/04/2023 9:00	78,38	10,36	3,86	20,34	25	376690,13	472027,33	72,61	101,33
136	25/04/2023 8:00	75,61	24,88	11,38	20,29	23,02	379104,77	471880,52	75,03	101,33
137	25/04/2023 7:00	75,17	3,41	2,22	20,21	22,72	379221,7	473699,18	78,76	101,33
138	25/04/2023 6:00	81,54	12,42	4,88	20,3	22,84	379991,71	473561,51	78,05	101,33
139	25/04/2023 5:00	104,91	13,95	8,44	20,28	22,12	377974,01	473865,07	78,36	101,33
140	25/04/2023 4:00	117,47	2,33	1,35	20,18	19,79	377090,96	462725,16	78,65	101,33
141	25/04/2023 3:00	60,21	20,56	5,96	20,36	18,8	378033,01	457179,43	79,12	101,33
142	25/04/2023 2:00	100,82	1,6	0,99	20,29	18,55	381536	472407,66	78,89	101,33
143	25/04/2023 1:00	97,32	1,79	1,15	20,1	21,77	379798,42	470709,23	78,56	101,33
144	25/04/2023 0:00	109,09	1,72	1,13	20,37	17,81	378830,33	473230,08	77,78	101,33
145	24/04/2023 23:00	96,22	13,27	5,71	20,3	15,08	379540,97	471016,57	76,74	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
146	24/04/2023 22:00	141,52	15,79	7,97	20,26	14,47	373252,52	462197,3	75,82	101,33
147	24/04/2023 21:00	138,59	1,88	6,67	20,4	17,19	360442,71	445166,28	75,19	101,33
148	24/04/2023 20:00	235,8	2,81	1,14	20,38	19,76	356821,76	403852,8	69,56	101,33
149	24/04/2023 19:00	1,74	1,79	1,13	20,71	18,51	55128,59	56354,84	46,64	101,33
150	24/04/2023 18:00	4,27	4,2	2,22	20,9	16,73	1952,5	1737,72	49,97	101,33
151	24/04/2023 17:00	21,66	19,49	9,14	20,67	12,79	68037,44	97976,27	61	101,33
152	24/04/2023 16:00	55,51	13,26	7,03	20,51	11,39	358041,99	459145,28	80,09	101,33
153	24/04/2023 15:00	102,29	1,64	1,01	20,27	9,01	373290,7	475549,24	81,92	101,33
154	24/04/2023 14:00	77,68	1,77	1,13	20,29	7,26	386922,34	471897,25	83,01	101,33
155	24/04/2023 13:00	88,04	11,31	2,75	20,24	7,93	394748,42	476850,44	81,52	101,33
156	24/04/2023 12:00	86,9	1,8	1,12	20,19	9,49	398476,38	479154,29	81,72	101,33
157	24/04/2023 11:00	87,88	3,96	1,5	20,1	12,66	383222,12	473629,16	79,27	101,33
158	24/04/2023 10:00	81,42	50,16	21,28	20,5	12,85	374824,76	468521,75	78,12	101,33
159	24/04/2023 9:00	87,76	1,79	1,16	20,33	12,86	372975,3	467760,63	80,93	101,33
160	24/04/2023 8:00	92,57	1,83	3,61	20,14	13,57	370942,48	469417,75	82,18	101,33
161	24/04/2023 7:00	214,09	1,79	3,96	20,36	14,46	373999,86	469462,32	80,76	101,33
162	24/04/2023 6:00	93,87	1,76	1,14	20,41	14,18	373967,24	472261,68	80,08	101,33
163	24/04/2023 5:00	117,04	1,81	1,19	20,21	19,14	376264,95	467016,23	79,44	101,33
164	24/04/2023 4:00	103,04	14,36	6,62	20,44	18,39	375940,79	469320,27	78,82	101,33
165	24/04/2023 3:00	123,39	1,74	1,15	20,38	14,36	367106,09	466214	80,65	101,33
166	24/04/2023 2:00	85,63	1,73	1,08	20,43	11,92	373021,44	469499,71	77,69	101,33
167	24/04/2023 1:00	149,63	1,76	1,11	20,39	14,78	372531,04	468318,62	78,84	101,33
168	24/04/2023 0:00	103,99	1,72	1,14	20,24	17,05	373463,32	470122,77	76,84	101,33
169	23/04/2023 23:00	95,03	1,45	0,92	20,46	17,46	373105,37	468794,29	77,17	101,33
170	23/04/2023 22:00	146,85	10,11	4,53	20,45	13,82	374827,54	468914,85	76,96	101,33
171	23/04/2023 21:00	129,27	1,58	1,07	20,33	14,55	374235,33	469249,85	78,98	101,33
172	23/04/2023 20:00	155,47	4,43	2,75	20,41	15,01	373966,85	469642,55	80,67	101,33
173	23/04/2023 19:00	185,44	14,2	7,62	20,37	15,77	378956,82	473187,52	79,97	101,33
174	23/04/2023 18:00	176,65	15,95	9,65	20,14	16,08	388287,25	474729,64	79,16	101,33
175	23/04/2023 17:00	163,49	8	3,93	20,39	14,98	390077,59	477106,97	77,83	101,33
176	23/04/2023 16:00	108,19	14,12	6,92	20,51	13,5	376544,16	454543,15	71,99	101,33
177	23/04/2023 15:00	159,02	1,78	1,14	20,07	11	378429,42	460885,53	85,12	101,33
178	23/04/2023 14:00	155,8	8,29	4,95	20,2	6,79	375255,91	448559,29	88,26	101,33
179	23/04/2023 13:00	173,17	1,89	1,22	20,28	8,61	377532,48	457419,15	85,24	101,33
180	23/04/2023 12:00	158,27	1,68	1,07	19,98	11,93	378356,23	457949,3	86,73	101,33
181	23/04/2023 11:00	211,07	1,79	1,15	20,32	11,13	378611,97	463115,96	82,87	101,33
182	23/04/2023 10:00	104,89	15,48	7,1	20,42	11,19	381209,97	474007,9	82,26	101,33
183	23/04/2023 9:00	96,44	18,21	11,3	20,32	11,01	380322,22	472812,32	84,49	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
184	23/04/2023 8:00	131,01	13,41	8,83	20,33	11,92	376152,79	462522,37	86,91	101,33
185	23/04/2023 7:00	167,23	44,15	24,29	20,12	15,18	376748,6	459512,11	87,5	101,33
186	23/04/2023 6:00	154,25	19,32	11,79	20,21	15,76	367407,43	454214,92	85,83	101,33
187	23/04/2023 5:00	188,42	9,09	5,75	20,26	17,09	363202,19	452019,89	84,2	101,33
188	23/04/2023 4:00	176,36	7,36	3,5	20,4	17,57	363717,64	447691,94	79,5	101,33
189	23/04/2023 3:00	183,86	1,87	1,02	20,26	14,69	363197,81	445052,5	81,25	101,33
190	23/04/2023 2:00	177,84	3,12	1,25	20,21	17,23	364422,84	443969,9	83,57	101,33
191	23/04/2023 1:00	225,35	9,42	4,2	20,1	16,43	363666,34	447099,51	80,86	101,33
192	23/04/2023 0:00	144,41	1,49	0,96	20,36	15,42	361778,71	442629,9	81,68	101,33
193	22/04/2023 23:00	165,57	1,67	1,06	20,41	16,29	367866,81	449283,4	77,98	101,33
194	22/04/2023 22:00	176,05	13,13	6,17	20,23	17,56	359258,26	445442	77,09	101,33
195	22/04/2023 21:00	145,1	1,58	0,97	20,55	17,44	357783,47	444222,94	73,84	101,33
196	22/04/2023 20:00	269,32	1,84	1,2	20,29	17,9	346603,98	407434,77	70,36	101,33
197	22/04/2023 19:00	2,69	1,68	1,07	20,74	16,44	53127,2	66625,32	46,48	101,33
198	22/04/2023 18:00	3,81	1,73	1,07	20,91	14,63	1962,77	1766,19	49,57	101,33
199	22/04/2023 17:00	9,51	1,62	1,05	20,91	10,89	120282,9	160539,74	61,18	101,33
200	22/04/2023 16:00	130,62	2,79	1,47	20,42	7,18	371942,68	454989,86	82,4	101,33
201	22/04/2023 15:00	110,89	1,79	1,1	20,42	7,75	366130,3	446075,82	86,94	101,33
202	22/04/2023 14:00	170,54	23,23	8,89	20,21	7,77	369490,36	455163,45	85,83	101,33
203	22/04/2023 13:00	123,99	1,68	1,11	20,41	6,12	372845,24	452020,71	82,76	101,33
204	22/04/2023 12:00	140,92	8,87	2,78	20,38	6,59	379066,98	460582,75	83,29	101,33
205	22/04/2023 11:00	134,24	9,34	2,21	20,24	7,71	380687,32	463659,26	86,93	101,33
206	22/04/2023 10:00	173,42	22,08	8,75	20,38	13,37	378311,69	463858,77	84,09	101,33
207	22/04/2023 9:00	189,36	1,87	1,2	20,54	15,27	355478,2	438365,19	77,92	101,33
208	22/04/2023 8:00	115,92	1,91	1,21	20,37	13,48	378258,39	455180,85	82,22	101,33
209	22/04/2023 7:00	187,68	1,87	1,19	20,4	13,01	378526,07	457061,23	82,34	101,33
210	22/04/2023 6:00	157,57	1,88	1,19	20,33	16,84	376647,58	457981,9	84,38	101,33
211	22/04/2023 5:00	248,55	1,76	1,13	20,1	20,37	341499,07	413381,26	88,54	101,33
212	22/04/2023 4:00	180,04	11	5,48	20,39	18,43	351639,18	396256,75	84,43	101,33
213	22/04/2023 3:00	191,47	4,78	2,39	20,08	17,78	350795,69	393842,23	86,19	101,33
214	22/04/2023 2:00	239,51	2,25	1,15	20,06	18,95	348484,35	408228,3	80,2	101,33
215	22/04/2023 1:00	223,34	2,18	1,19	20,35	19,33	375826,66	458687,33	72,73	101,33
216	22/04/2023 0:00	198,35	10,3	5,93	20,4	19,74	376326,28	457673,5	67,7	101,33
217	21/04/2023 23:00	33,31	1,79	1,17	20,74	20,62	384964,57	455252,16	55,71	101,33
218	21/04/2023 22:00	152,58	24,85	11,89	20,54	20,49	370181,21	447204,95	69,43	101,33
219	21/04/2023 21:00	172,35	3,64	2,1	20,45	20,18	365500,29	446129,13	69,73	101,33
220	21/04/2023 20:00	240,89	5,18	2,8	20,44	19,86	350036,82	422615,71	66,8	101,33
221	21/04/2023 19:00	3,74	1,64	1,04	20,97	18,39	54312,44	57838,08	45,36	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
222	21/04/2023 18:00	7,17	1,87	1,2	20,81	15,85	2004,56	1804,13	48,7	101,33
223	21/04/2023 17:00	19,3	1,7	1,12	20,93	11,5	54092,1	74520,55	58,79	101,33
224	21/04/2023 16:00	94,11	10,04	5,09	20,6	7,54	351226,68	440541,5	79,99	101,33
225	21/04/2023 15:00	164,77	19,78	9,71	20,28	3,59	383035,53	482885,68	82,97	101,33
226	21/04/2023 14:00	179,35	9,94	5,57	20,32	0	385938,63	481712,16	85,17	101,32
227	21/04/2023 13:00	155,58	1,81	1,18	20,3	0	383821,09	472831,03	84,65	101,32
228	21/04/2023 12:00	118,22	1,77	1,15	20,34	0,15	384979,8	481437,76	78,56	101,32
229	21/04/2023 11:00	207,03	30,05	13,6	20,51	7,09	385213,54	482035,64	78,83	101,33
230	21/04/2023 10:00	120,68	19,03	8,09	20,43	7,53	383236,42	477726,35	82,21	101,33
231	21/04/2023 9:00	127,06	12,33	6,18	20,31	13,39	323597,09	493215,26	81,88	101,33
232	21/04/2023 8:00	186,39	5,06	2,27	20,4	11,23	281102,45	507690,76	80,67	101,33
233	21/04/2023 7:00	143,39	27,67	11,96	20,36	10,56	279107,02	507352,55	80,56	101,33
234	21/04/2023 6:00	184,53	2,82	1,44	20,39	14,04	279008,78	500660,09	77,32	101,33
235	21/04/2023 5:00	130,29	1,82	1,15	20,36	15,84	277084,54	489424,78	78,13	101,33
236	21/04/2023 4:00	121,2	24,21	10,44	20,36	17,83	275651,51	483422,2	77,19	101,33
237	21/04/2023 3:00	174,61	1,75	1,11	20,14	20,15	278746,27	493377,17	74,69	101,33
238	21/04/2023 2:00	192,93	1,8	1,14	20,15	19,03	293307,29	493813,23	72,26	101,33
239	21/04/2023 1:00	194,2	14,35	4,18	20,19	20,33	294818,69	494655,12	73,36	101,33
240	21/04/2023 0:00	226,63	24,95	8,46	20,23	22,01	267681,69	457283,29	78,6	101,33
241	20/04/2023 23:00	284,28	10,88	3,48	20,14	22	249543,49	419104,17	73,33	101,33
242	20/04/2023 22:00	84,58	2,6	1,2	20,7	20,95	253014,01	433163,57	61,36	101,33
243	20/04/2023 21:00	231,24	1,65	0,99	20,53	21,47	235241,4	384386,22	53,96	101,33
244	20/04/2023 20:00	79,63	13,21	0,91	20,75	21,15	227454,36	369116,15	42,49	101,33
245	20/04/2023 19:00	1,94	26,09	10,36	20,9	17,54	27321,94	24827,3	32,34	101,33
246	20/04/2023 18:00	1,6	1,8	1,06	20,93	16,81	1946,86	1777,32	33,03	101,33
247	20/04/2023 17:00	1,62	1,71	1,07	20,92	14,63	1956,4	1783,29	34,07	101,33
248	20/04/2023 16:00	1,7	9,39	4,49	20,9	10,96	1988,62	1803,18	34,77	101,33
249	20/04/2023 15:00	1,61	1,67	1,09	20,72	5,45	1974,19	1782,86	35,49	101,33
250	20/04/2023 14:00	1,6	1,69	1,1	20,74	1,52	1951,63	1775,73	35,49	101,33
251	20/04/2023 13:00	1,57	1,65	1,09	20,78	4,8	1968,34	5607,17	35,49	101,33
252	20/04/2023 12:00	1,49	1,61	1,09	20,85	11,77	1938,11	1760,21	35,48	101,33
253	20/04/2023 11:00	1,43	1,51	1,05	20,9	12,4	1973,76	1772,44	35,49	101,33
254	20/04/2023 10:00	1,69	8,78	4,4	20,93	12,35	1992,2	1799,61	34,82	101,33
255	20/04/2023 9:00	1,56	1,62	1,04	20,98	13,11	1949,64	1782,89	32,45	101,33
256	20/04/2023 8:00	1,53	1,62	1	20,97	15,93	1930,55	1759,42	30,67	101,33
257	20/04/2023 7:00	1,44	1,56	1	20,94	19,98	1908,28	2960,97	30,04	101,33
258	20/04/2023 6:00	1,52	1,6	1,05	20,94	22,66	1894,36	1767,38	29,82	101,33
259	20/04/2023 5:00	1,59	1,63	1,05	20,93	21,89	1909,87	1778,12	29,83	101,33

104-C
HÀN
Y
NG
HẢI P

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
260	20/04/2023 4:00	1,59	12,59	5,15	20,93	21,16	1921,26	1788,94	29,84	101,33
261	20/04/2023 3:00	1,56	1,67	1,07	20,94	22,87	1910,27	3693,04	29,84	101,33
262	20/04/2023 2:00	1,58	2,1	1,43	20,93	23,54	1900,72	1767,78	30,14	101,33
263	20/04/2023 1:00	1,51	18,02	7,95	20,93	24	1901,52	1768,17	30,46	101,33
264	20/04/2023 0:00	1,58	1,67	1,02	20,95	23,39	1918,62	1774,94	30,88	101,33
265	19/04/2023 23:00	1,53	1,61	1,01	20,96	23,2	1914,64	1763	31,71	101,33
266	19/04/2023 22:00	1,63	3,78	1,7	20,97	23,64	1942,88	1789,66	31,73	101,33
267	19/04/2023 21:00	1,6	1,66	1,08	21	23,57	1928,56	1778,12	32,04	101,33
268	19/04/2023 20:00	1,5	1,64	1,05	20,98	23,25	1923	1770,96	32,35	101,33
269	19/04/2023 19:00	1,58	1,67	1,06	20,96	22,96	1925,78	1784,48	32,88	101,33
270	19/04/2023 18:00	1,53	1,61	1,03	20,94	22,38	1926,58	1768,97	33,86	101,33
271	19/04/2023 17:00	1,5	1,6	1,02	20,92	19,3	1933,74	1770,96	35,59	101,33
272	19/04/2023 16:00	1,79	7,22	2,86	20,89	14,9	3049,38	1807,6	37,67	101,33
273	19/04/2023 15:00	1,55	1,84	1,06	20,79	9,58	1977,88	1765,79	39,04	101,33
274	19/04/2023 14:00	1,5	1,61	0,99	20,81	4,14	1973,51	1779,31	39,25	101,33
275	19/04/2023 13:00	1,5	2,44	1	20,84	0,46	1971,52	5590,46	38,78	101,33
276	19/04/2023 12:00	1,57	1,73	1,08	20,87	2,45	1982,26	3705,77	38,63	101,33
277	19/04/2023 11:00	1,69	1,59	0,99	20,89	5,5	1958,39	1767,38	37,84	101,33
278	19/04/2023 10:00	2,24	3,65	2,11	20,92	10,56	1974,7	1805,57	36,7	101,33
279	19/04/2023 9:00	1,52	2,19	1,07	20,97	13,59	1931,11	1775,18	35,48	101,33
280	19/04/2023 8:00	1,51	1,6	1	20,97	18,4	1917,35	1773,31	34,51	101,33
281	19/04/2023 7:00	1,56	1,67	1,08	20,97	19,19	1924,19	1782,5	34,23	101,33
282	19/04/2023 6:00	1,53	22,65	9,07	20,92	21,27	1910,67	1757,83	34,32	101,33
283	19/04/2023 5:00	1,41	9,57	4,08	20,94	21,43	1910,67	1770,96	34,85	101,33
284	19/04/2023 4:00	1,67	4,36	2,18	20,93	20,75	1944,47	1798,81	35,23	101,33
285	19/04/2023 3:00	1,53	1,59	1,08	20,88	20,5	1928,2	1775,48	35,94	101,33
286	19/04/2023 2:00	1,55	1,59	1,04	20,89	20,44	1918,22	1783,69	36,69	101,33
287	19/04/2023 1:00	1,57	1,56	0,95	20,9	21,12	1919,53	1768,54	37,31	101,33
288	19/04/2023 0:00	1,55	1,65	1,04	20,91	21,7	1928,57	3691,05	38,05	101,33
289	18/04/2023 23:00	1,75	1,7	1,07	20,94	21,66	1934,71	1785,89	39,03	101,33
290	18/04/2023 22:00	3,98	18,11	7,77	20,95	19,84	1942,48	1796,82	39,94	101,33
291	18/04/2023 21:00	1,84	1,63	1,24	21,08	19,18	1919,52	1771,57	41,3	101,33
292	18/04/2023 20:00	2,38	5,16	2,1	21,05	20,61	1931,75	1773,35	43,74	101,33
293	18/04/2023 19:00	2,7	1,71	1,07	21,03	20,19	1954,67	1782,86	46,51	101,33
294	18/04/2023 18:00	4,64	1,63	1,07	21	17,33	2010,1	1782,1	53,76	101,33
295	18/04/2023 17:00	14,57	23,47	10,03	20,92	15,55	176257,52	320765,89	72,38	101,33
296	18/04/2023 16:00	140,14	4,89	1,67	20,21	13,69	281311,65	469331,41	92,64	101,33
297	18/04/2023 15:00	161,59	1,69	1,05	20,08	14,84	275080,76	458687,71	94,23	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
298	18/04/2023 14:00	172,77	1,71	1,09	20,1	14,72	280252,5	466134,57	90,59	101,33
299	18/04/2023 13:00	217,36	1,69	1,07	20,03	15,32	282078,49	464740,45	88,99	101,33
300	18/04/2023 12:00	228,75	3,07	1,23	20,16	16,26	282331,85	463848,44	86,4	101,33
301	18/04/2023 11:00	187,62	1,74	1,13	20,26	18,1	277933,31	457779,81	86,55	101,33
302	18/04/2023 10:00	167,84	4,53	2,21	20,3	19,07	277445,38	453803,28	89,67	101,33
303	18/04/2023 9:00	208,44	1,78	1,14	20,3	19,32	270931,21	441516,68	88,56	101,33
304	18/04/2023 8:00	239,94	1,8	1,13	20,03	18,2	262124,6	426311,46	90,13	101,33
305	18/04/2023 7:00	264,7	1,67	1,07	20,1	21,1	261281,01	424377,84	85,9	101,33
306	18/04/2023 6:00	215,88	1,84	1,19	20,24	21,31	277296,14	463197,54	82,67	101,33
307	18/04/2023 5:00	203,54	1,84	1,14	20,13	19,44	264584,58	461520,93	83,99	101,33
308	18/04/2023 4:00	183,69	29,91	14,57	20,26	21,74	264242,53	463701,22	84,25	101,33
309	18/04/2023 3:00	157,32	3,93	1,73	20,38	21,4	267588,66	463043,14	75,47	101,33
310	18/04/2023 2:00	139,44	1,73	1,11	20,2	20,18	263153,93	466378,04	85,33	101,33
311	18/04/2023 1:00	139,84	1,64	1,09	20,17	21,61	256164,5	462497,79	88,15	101,33
312	18/04/2023 0:00	217,97	4,68	2,82	20,19	22,09	252380,12	441583,92	85,59	101,33
313	17/04/2023 23:00	237,51	13,34	8,03	20,06	22,95	245549,86	435853,45	86,41	101,33
314	17/04/2023 22:00	184,39	4,03	2,67	20,25	22,51	246139,01	431950,46	83,35	101,33
315	17/04/2023 21:00	201,99	5,84	1,37	20,43	21,43	258142,17	456177,79	73,84	101,33
316	17/04/2023 20:00	231,36	2,79	1,16	20,23	23,7	247887,73	399200,96	66,88	101,33
317	17/04/2023 19:00	11,21	3,56	1,13	20,91	22,33	46756,7	48718,22	46,68	101,33
318	17/04/2023 18:00	12,07	10,57	2,31	20,91	21,97	8114,91	75247,85	54,61	101,33
319	17/04/2023 17:00	26,51	5,52	1,82	20,8	20,83	60848,4	241296,35	62,01	101,33
320	17/04/2023 16:00	153,28	10,81	5,09	20,38	19,97	255240,63	435517,68	82,07	101,33
321	17/04/2023 15:00	186,6	2,52	1,16	20,17	15,41	278427,69	465846,12	80,91	101,33
322	17/04/2023 14:00	210,32	17,23	7,42	20,3	14,96	278005,31	470848,85	82,66	101,33
323	17/04/2023 13:00	159,16	13,6	5,59	20,45	14,92	279280,44	474524,35	74,08	101,33
324	17/04/2023 12:00	108,18	2,55	1,17	20,17	17,65	271935,57	456786,33	86,79	101,33
325	17/04/2023 11:00	174,83	1,67	1,12	20,22	17,68	277764,27	471827,62	82,56	101,33
326	17/04/2023 10:00	103,81	2,05	1,25	20,25	16,67	276275,34	471409,38	83,65	101,33
327	17/04/2023 9:00	113,85	1,8	1,16	20,25	14,4	275282,41	467597,9	83,91	101,33
328	17/04/2023 8:00	126,48	10,17	6,05	20,21	14,65	276116,86	469335,38	84,58	101,33
329	17/04/2023 7:00	133,36	1,75	1,11	20,2	17,11	263993,55	431652,8	83,13	101,33
330	17/04/2023 6:00	125,06	1,68	1,11	20,16	21,66	272392,09	472291,53	79,38	101,33
331	17/04/2023 5:00	157,99	1,64	1,09	20,22	24,07	262063,75	465420,4	79,1	101,33
332	17/04/2023 4:00	111,4	7,48	5,21	20,39	24,82	263508,32	469899,55	79,95	101,33
333	17/04/2023 3:00	129,01	2,93	1,62	20,33	23,69	262480,97	468934,73	80,2	101,33
334	17/04/2023 2:00	144,69	2,18	1,14	20,45	25,02	263646,07	470018,74	78,05	101,33
335	17/04/2023 1:00	133,35	10,85	3,64	20,47	24,47	263275,64	471008,42	77,54	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
336	17/04/2023 0:00	115,28	16,61	5,66	20,45	23,96	270584,38	478791,44	79,96	101,33
337	16/04/2023 23:00	75,37	11,77	3,32	20,51	23,43	274786,44	481270,12	83,16	101,33
338	16/04/2023 22:00	71,85	7,68	3,53	20,22	22,78	274660,37	477702,87	86,25	101,33
339	16/04/2023 21:00	71,03	1,77	1,15	20,02	21,77	274271,63	484242,47	87,52	101,33
340	16/04/2023 20:00	116,97	1,75	1,08	20,16	18,21	272267,92	467543,44	84,4	101,33
341	16/04/2023 19:00	126,94	1,71	1,09	20,22	13,93	276048,05	476101,08	82,23	101,33
342	16/04/2023 18:00	108,18	1,68	1,14	20,27	17,67	277818,26	481690,8	84,51	101,33
343	16/04/2023 17:00	131,6	1,72	1,1	20,3	20,67	274338,99	482517,85	80,95	101,33
344	16/04/2023 16:00	105,8	5,6	2,72	20,37	14,76	276671,7	477162,18	77,12	101,33
345	16/04/2023 15:00	100,79	2,39	1,09	20,42	10,84	275947,03	481214,82	73,14	101,33
346	16/04/2023 14:00	97,4	1,66	1,11	20,38	6,17	275227,53	481503,29	80,05	101,33
347	16/04/2023 13:00	148,03	2,31	1,21	20,18	5,3	276900,57	481936,45	83,25	101,33
348	16/04/2023 12:00	85,09	1,72	1,14	20,36	6,01	272027,98	477245,83	83,52	101,33
349	16/04/2023 11:00	125,32	1,7	1,14	20,3	11,41	273919,39	485499,44	80,88	101,33
350	16/04/2023 10:00	102,9	28,96	12,76	20,31	16,79	280304,2	492170,05	81,07	101,33
351	16/04/2023 9:00	127,09	19,66	12,89	20,59	15,38	281719,8	487280,71	79,67	101,33
352	16/04/2023 8:00	131,02	21,83	13,99	20,63	17,19	281239,49	488356,7	79,15	101,33
353	16/04/2023 7:00	179,96	4,37	6,34	20,47	16,18	276908,35	488119,39	79,2	101,33
354	16/04/2023 6:00	117,4	40,97	18,83	20,56	22,62	275042,18	481363,23	79,86	101,33
355	16/04/2023 5:00	122,12	48,2	20,88	20,38	23,48	264507,42	458745,42	77,39	101,33
356	16/04/2023 4:00	107,96	10,15	3,99	20,39	23,27	263718,32	461233,66	79,18	101,33
357	16/04/2023 3:00	116,17	14,26	5,34	20,04	24,24	264545,19	461569,07	75,64	101,33
358	16/04/2023 2:00	90,23	4,89	2,33	19,98	17,14	262853,25	454815,29	82,06	101,33
359	16/04/2023 1:00	124,3	1,65	1,06	20,03	11,47	259115,76	443190,08	82,36	101,33
360	16/04/2023 0:00	128,77	1,68	1,06	20,06	14,94	264068,72	458681,76	81,52	101,33
361	15/04/2023 23:00	116,22	1,56	1,06	20,02	18,7	264855,04	460764,16	78,96	101,33
362	15/04/2023 22:00	148,69	22,29	8,72	20,31	22,93	263551,67	462432,04	77,49	101,33
363	15/04/2023 21:00	118,16	1,59	1,05	20,45	20,34	265150,55	461808,18	73,37	101,33
364	15/04/2023 20:00	236,32	1,51	0,98	20,25	23,34	231253,32	403303,34	71,46	101,33
365	15/04/2023 19:00	9,04	1,36	0,96	20,93	22,35	34137,42	58046,16	43,9	101,33
366	15/04/2023 18:00	13,59	1,32	0,84	20,92	19,78	1870,1	1750,27	47,76	101,33
367	15/04/2023 17:00	56,31	1,57	1,05	20,73	15,54	201868,77	358680,8	69,65	101,33
368	15/04/2023 16:00	81,48	10,04	4,26	20,33	10,28	277215,79	490996,75	87,36	101,33
369	15/04/2023 15:00	140,51	1,66	1,04	20,31	0,62	278166,78	491508,39	84,7	101,32
370	15/04/2023 14:00	134,91	1,62	1,04	20,34	4,72	276479,2	491988,23	79,33	101,33
371	15/04/2023 13:00	133,06	1,62	1,01	20,38	9,79	275670,2	481307,92	81,5	101,33
372	15/04/2023 12:00	101,56	1,69	1,11	20,24	0	277648,13	489211,92	81,68	101,32
373	15/04/2023 11:00	142,64	1,54	0,93	20,1	1,4	276823,78	488130,99	80,87	101,32

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
374	15/04/2023 10:00	110,72	10,38	2,7	20,45	12,41	276109,7	491287,98	78,99	101,33
375	15/04/2023 9:00	168,32	10,36	1,15	20,5	16,07	275750,56	484206,39	76,89	101,33
376	15/04/2023 8:00	150,26	41,76	14,34	20,45	12,71	277872,86	489863,62	78,24	101,33
377	15/04/2023 7:00	117,14	1,8	1,17	20,37	17,91	276552,38	499800,29	75,12	101,33
378	15/04/2023 6:00	110,98	1,84	1,19	20,33	11,69	277474,01	505463,99	80,28	101,33
379	15/04/2023 5:00	102,86	1,79	1,17	20,13	10,55	264648,21	474473,02	82,95	101,33
380	15/04/2023 4:00	77,41	28,71	11,98	20,14	10,3	259709,56	459772,3	83,58	101,33
381	15/04/2023 3:00	111,65	1,8	1,11	20,03	14,39	259651,49	462516,38	81,53	101,33
382	15/04/2023 2:00	135,1	1,72	0,99	20,18	12,33	260251,74	461321,11	79,79	101,33
383	15/04/2023 1:00	78,69	1,79	1,11	20,29	12,21	260164,96	461897,3	79,32	101,33
384	15/04/2023 0:00	154,3	1,7	1,1	20,24	14,82	259739	459307,2	78,33	101,33
385	14/04/2023 23:00	132,86	1,79	1,12	20,37	17,53	260137,52	458140,67	78,1	101,33
386	14/04/2023 22:00	102,37	5,21	2,48	20,36	17,57	259270,86	459125,78	76,02	101,33
387	14/04/2023 21:00	114,1	1,71	1,19	20,34	20,05	260204,74	463565,56	71,77	101,33
388	14/04/2023 20:00	194,9	1,73	1,15	20,32	24,23	238929,17	399066,88	65,83	101,33
389	14/04/2023 19:00	23,82	1,75	1,13	20,92	23,71	32903,25	50851,57	42,07	101,33
390	14/04/2023 18:00	32,25	1,73	1,18	20,91	22,46	1893,57	1786,47	46,04	101,33
391	14/04/2023 17:00	58,87	1,72	1,11	20,75	18,28	178678,92	315383,12	66,04	101,33
392	14/04/2023 16:00	100,17	16,93	7,27	20,27	13,25	273745,97	480109,97	81,47	101,33
393	14/04/2023 15:00	124,8	1,73	1,11	20,33	12,07	276249,31	482414,4	78,18	101,33
394	14/04/2023 14:00	142,99	2,93	1,68	20,12	11,06	276025,93	478568,95	80,31	101,33
395	14/04/2023 13:00	132,74	1,77	1,13	20,23	11,91	269740,07	463992,16	79,95	101,33
396	14/04/2023 12:00	130,12	1,74	1,12	20,3	13,19	274991,01	482988,98	77,94	101,33
397	14/04/2023 11:00	119,53	1,78	1,15	20,34	15,32	276297,04	480884,79	77,1	101,33
398	14/04/2023 10:00	93,84	12,36	5,01	20,44	21,42	274644,05	483722,97	80,41	101,33
399	14/04/2023 9:00	103,64	3,54	1,46	20,41	20,33	274567,69	482694,9	80,02	101,33
400	14/04/2023 8:00	140,86	1,88	1,17	20,3	20,51	273943,61	483861,8	80,25	101,33
401	14/04/2023 7:00	116,51	1,94	1,12	20,25	24,22	273528,81	492608,96	78,39	101,33
402	14/04/2023 6:00	128,85	2,51	1,19	20,25	23,82	267682,92	480453,71	78,82	101,33
403	14/04/2023 5:00	116,38	1,89	1,15	20,18	21,97	256916,27	467338,91	75,74	101,33
404	14/04/2023 4:00	106,44	32,35	12,99	20,35	22,99	259020,36	468581,21	72,29	101,33
405	14/04/2023 3:00	114,99	1,83	1,22	19,85	25,68	255419,6	464109,03	77,83	101,33
406	14/04/2023 2:00	143,01	1,85	1,16	19,87	25,46	260437,81	466600,07	74,64	101,33
407	14/04/2023 1:00	140,65	1,8	1,16	19,93	24,97	259394,16	467414,1	71,13	101,33
408	14/04/2023 0:00	130,74	6,57	5,68	20,14	24,62	260165,76	468521,35	68	101,33
409	13/04/2023 23:00	159,01	1,72	1,08	20,3	24,16	260351,9	470379,79	68,78	101,33
410	13/04/2023 22:00	111,81	6,9	3,5	20,57	24,92	270377,17	478954,55	66,6	101,33
411	13/04/2023 21:00	203,94	1,75	1,04	20,64	25,86	256823,14	439587,29	71,16	101,33



TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
412	13/04/2023 20:00	210,8	1,51	0,92	20,78	25,59	208758,71	361557,76	46,31	101,33
413	13/04/2023 19:00	1,47	1,5	1,03	21,11	25,1	31326,63	66480,1	28,65	101,33
414	13/04/2023 18:00	1,91	2	1,28	20,94	24,86	1886,98	1786,76	27,95	101,33
415	13/04/2023 17:00	1,89	1,87	1,21	20,94	24,27	1859,76	1776,13	28,47	101,33
416	13/04/2023 16:00	1,98	6,68	3,31	20,89	24,4	1916,23	1797,61	29,05	101,33
417	13/04/2023 15:00	1,88	1,93	1,23	20,68	23,14	2462,72	1788,46	29,21	101,33
418	13/04/2023 14:00	1,83	5,71	2,21	20,71	22,74	1896,53	1781,56	29,2	101,33
419	13/04/2023 13:00	1,9	6,97	1,77	20,75	21,49	1895,55	1777,72	29,21	101,33
420	13/04/2023 12:00	1,8	3,13	1,15	20,84	22,45	1896,74	1787,67	29,1	101,33
421	13/04/2023 11:00	1,84	6,41	2,24	20,88	23,98	1874,87	1774,94	28,41	101,33
422	13/04/2023 10:00	1,93	4,08	2,43	20,94	24,38	1903,51	1801,19	28,59	101,33
423	13/04/2023 9:00	1,76	1,81	1,17	21,04	24,61	1886,41	1774,14	28,36	101,33
424	13/04/2023 8:00	1,74	1,7	1,08	21,03	24,95	2801,99	1777,32	27,57	101,33
425	13/04/2023 7:00	1,66	1,74	1,08	21,03	25,59	1870,1	3687,07	27,32	101,33
426	13/04/2023 6:00	1,83	1,87	1,16	21	26,18	1875,67	1789,26	27,06	101,33
427	13/04/2023 5:00	1,75	1,81	1,16	20,99	26,3	1860,51	1783,29	26,69	101,33
428	13/04/2023 4:00	1,87	4,12	2,32	20,94	26,28	1878,05	1798,8	26,7	101,33
429	13/04/2023 3:00	1,74	1,84	1,19	20,9	26,03	1862,54	1785,28	26,9	101,33
430	13/04/2023 2:00	1,78	1,77	1,19	20,91	26,08	1852,27	1776,78	27,32	101,33
431	13/04/2023 1:00	1,8	1,87	1,21	20,93	25,93	1866,92	1782,1	27,74	101,33
432	13/04/2023 0:00	1,76	1,79	1,18	20,94	26,01	1861,35	1770,16	27,95	101,33
433	12/04/2023 23:00	1,79	1,81	1,12	20,94	25,9	1863,74	1780,51	28,36	101,33
434	12/04/2023 22:00	1,85	6,11	2,61	20,97	25,8	1895,16	1798,81	28,59	101,33
435	12/04/2023 21:00	1,73	1,78	1,15	21,04	24,92	1866,92	1778,12	29,1	101,33
436	12/04/2023 20:00	1,72	2,01	1,17	21,02	25,07	1869,3	1779,31	29,2	101,33
437	12/04/2023 19:00	1,82	1,87	1,19	21,01	25,77	1880,84	1783,29	29,58	101,33
438	12/04/2023 18:00	1,75	1,81	1,17	21,01	25,88	2269,82	1777,33	29,93	101,33
439	12/04/2023 17:00	1,8	1,84	1,21	20,96	25,1	1883,95	1793,27	30,47	101,33
440	12/04/2023 16:00	1,87	9,78	4,55	20,94	24,43	1897,94	1805,97	31,31	101,33
441	12/04/2023 15:00	1,75	1,81	1,12	20,84	21,88	1885,61	1779,71	31,92	101,33
442	12/04/2023 14:00	1,77	1,84	1,2	20,84	19,39	1879,25	1772,15	32,34	101,33
443	12/04/2023 13:00	1,8	1,94	1,21	20,85	19,67	2043,51	1789,66	32,19	101,33
444	12/04/2023 12:00	1,72	17,65	7,54	20,86	22,16	1874,4	1781,56	31,71	101,33
445	12/04/2023 11:00	1,73	1,82	1,16	20,91	21,85	1877,44	1781,56	31,71	101,33
446	12/04/2023 10:00	1,89	2,42	1,3	20,94	23,16	1898,34	1807,96	31,2	101,33
447	12/04/2023 9:00	1,73	1,78	1,16	20,97	25,13	3616,54	1779,71	31,09	101,33
448	12/04/2023 8:00	1,79	2,09	1,21	20,98	25,39	1859,36	1779,31	30,71	101,33
449	12/04/2023 7:00	1,73	3,17	1,17	20,96	25,5	1861,38	1784,6	31,09	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
450	12/04/2023 6:00	1,75	1,74	1,12	20,96	26,24	1862,25	1776,78	31,09	101,33
451	12/04/2023 5:00	1,78	3,42	1,2	20,94	26,52	1868,9	1790,45	31,25	101,33
452	12/04/2023 4:00	1,77	15,74	6,64	20,93	26,36	1873,1	1794,57	31,72	101,33
453	12/04/2023 3:00	1,72	1,81	1,08	20,95	25,88	1833,5	1757,03	32,29	101,33
454	12/04/2023 2:00	1,79	1,83	1,22	20,96	25,88	1869,7	1790,85	32,98	101,33
455	12/04/2023 1:00	1,74	1,76	1,14	20,98	26,07	1860,51	1778,51	33,82	101,33
456	12/04/2023 0:00	1,79	1,82	1,17	20,95	25,6	1886,8	1785,68	35,02	101,33
457	11/04/2023 23:00	1,75	1,81	1,15	20,97	25,23	1880,04	1784,16	36,17	101,33
458	11/04/2023 22:00	2,69	20,93	9,67	20,97	25,34	1903,91	1807,16	37,22	101,33
459	11/04/2023 21:00	1,83	1,88	1,23	21,04	25,04	1904,3	1796,82	38,84	101,33
460	11/04/2023 20:00	1,85	1,91	1,26	20,96	24,38	1883,22	1774,93	40,3	101,33
461	11/04/2023 19:00	4,77	1,88	1,17	20,9	24,49	1869,7	1784,88	42,97	101,33
462	11/04/2023 18:00	19	1,83	1,16	20,93	21,88	1914,24	1783,29	48,81	101,33
463	11/04/2023 17:00	30,93	1,83	1,16	20,77	22,04	186374,27	348309,26	68,16	101,33
464	11/04/2023 16:00	126,6	25,16	9,56	20,27	24,95	273368,92	493757,93	81,53	101,33
465	11/04/2023 15:00	100,08	3,91	2,09	20,36	23,35	274169,96	493423,7	80,28	101,33
466	11/04/2023 14:00	88,86	1,82	1,19	20,22	22,56	275865,31	497790,87	81,04	101,33
467	11/04/2023 13:00	112,32	1,82	1,13	20,33	23,1	279879,02	503104,95	79,59	101,33
468	11/04/2023 12:00	80,46	4,15	1,77	20,23	23,5	279371,12	505080,37	83,4	101,33
469	11/04/2023 11:00	116,56	1,84	1,18	20,28	24,07	279058,89	502089,62	79,06	101,33
470	11/04/2023 10:00	92,78	21,01	8,97	20,42	21,61	280152,66	496957,16	79,12	101,33
471	11/04/2023 9:00	68,36	1,86	1,2	20,4	15,35	280336,41	503118,1	78,75	101,33
472	11/04/2023 8:00	56,52	13,84	5,75	20,28	15,96	278769,74	503798,05	79,54	101,33
473	11/04/2023 7:00	93,43	9,15	4,05	20,33	19,77	280759,6	501410,06	79,8	101,33
474	11/04/2023 6:00	70,94	12,65	4,75	20,22	22,53	280353,51	504692,45	80,47	101,33
475	11/04/2023 5:00	85,23	1,84	2,57	20,19	22,79	274300,81	498017,06	81,82	101,33
476	11/04/2023 4:00	105,09	9,37	4,36	20,21	21,33	263766,45	472587,13	79,44	101,33
477	11/04/2023 3:00	82,66	1,78	1,12	20,09	21,77	259275,49	458114,49	80,46	101,33
478	11/04/2023 2:00	72,64	1,75	1,08	20,19	20,57	264974,37	471607,19	77,7	101,33
479	11/04/2023 1:00	108,17	2,43	1,08	20,15	18,36	263219,96	469772,26	80,82	101,33
480	11/04/2023 0:00	94,35	1,68	1,11	20,25	24,53	261138,21	465900,63	77,38	101,33
481	10/04/2023 23:00	72,4	1,64	1,04	20,27	24,41	257965,1	462129,65	79,1	101,33
482	10/04/2023 22:00	136,77	26,45	10,79	20,24	17,11	256813,66	465297,06	76,35	101,33
483	10/04/2023 21:00	146,7	34,24	11,5	20,21	22,89	254848,46	465671,84	74,65	101,33
484	10/04/2023 20:00	192,58	49,93	16,95	20,3	25,95	248862,97	445098,17	65,62	101,33
485	10/04/2023 19:00	26,56	39,25	14,45	20,89	25,82	49367,25	93780,35	41,08	101,33
486	10/04/2023 18:00	27,35	42,85	15,71	20,85	24,79	1910,67	1770,56	46,16	101,33
487	10/04/2023 17:00	57,07	38,4	12,88	20,73	20,31	188617,88	344655,29	65,22	101,33

CH
NG
THỂ
TẠI
VGL

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
488	10/04/2023 16:00	85,03	23,44	10,27	20,36	20,46	292384,84	484628,76	75,11	101,33
489	10/04/2023 15:00	111,41	1,7	1,07	20,18	19,93	292736,95	486854,19	75	101,33
490	10/04/2023 14:00	84,22	1,68	1,15	20,23	15,74	292270,81	483977,2	74,99	101,33
491	10/04/2023 13:00	100,12	7,84	8,05	20,11	16,3	290408,22	490388,41	75,76	101,33
492	10/04/2023 12:00	149,88	4,47	3,38	20,17	17,81	293464,4	486793,69	73,58	101,33
493	10/04/2023 11:00	103,43	1,68	1,13	20,36	25,09	293785,02	486821,1	71,46	101,33
494	10/04/2023 10:00	123,8	4	1,31	20,41	27,1	289656,97	485191,29	71,16	101,33
495	10/04/2023 9:00	109,32	1,71	1,18	20,46	26,71	280345,16	485677,29	70,17	101,33
496	10/04/2023 8:00	115,12	1,73	1,12	20,34	27,25	283150,34	483708,18	69,51	101,33
497	10/04/2023 7:00	105,82	1,76	1,15	20,52	27,08	270552,58	473705,92	57,85	101,33
498	10/04/2023 6:00	102,35	14,47	4,65	20,45	26,78	280827,61	492761,27	66,68	101,33
499	10/04/2023 5:00	128,02	26,48	11,71	20,23	25,54	275750,15	486814,78	71,08	101,33
500	10/04/2023 4:00	118,22	35,73	17,57	20,36	25,04	276182,49	490214,54	68,79	101,33
501	10/04/2023 3:00	199,82	1,82	1,15	20,31	22,29	275227,93	480927,18	69,67	101,33
502	10/04/2023 2:00	106,66	1,7	1,08	20,25	22,32	275990,78	489538,58	72,05	101,33
503	10/04/2023 1:00	185,73	1,71	1,07	20,2	22,54	275561,62	489238,96	69,87	101,33
504	10/04/2023 0:00	173,65	1,63	1,03	20,32	23,41	275754,52	489433,52	71,65	101,33
505	09/04/2023 23:00	141,15	1,8	1,15	20,22	23,77	273572,56	489281,15	73,12	101,33
506	09/04/2023 22:00	124,99	11,36	4,61	20,41	24,65	275799,47	490379,65	68,68	101,33
507	09/04/2023 21:00	138,61	19,76	6,53	20,48	25,41	275053,32	489964,69	68,51	101,33
508	09/04/2023 20:00	145,54	16,46	5,26	20,37	25,07	275742,2	486671,96	70,18	101,33
509	09/04/2023 19:00	143,4	2,6	1,05	20,47	26,03	276313,73	488895,22	69,55	101,33
510	09/04/2023 18:00	123,61	24,89	9,63	20,43	26,79	275827,3	490693,56	73,11	101,33
511	09/04/2023 17:00	140,48	42,4	15,13	20,18	24,63	274581,61	488576,12	72,39	101,33
512	09/04/2023 16:00	119,66	20,84	6,95	20,4	21,6	276791,24	489085,01	66,3	101,33
513	09/04/2023 15:00	79,08	1,8	1,12	20,36	19,57	279601,41	488770,29	67,96	101,33
514	09/04/2023 14:00	103,49	1,84	1,2	20	22,92	274575,64	489003,83	73,8	101,33
515	09/04/2023 13:00	118,55	1,75	1,13	20,11	23,72	274679,92	487968,64	71,05	101,33
516	09/04/2023 12:00	120,73	5,51	2,54	20,27	23,04	276418,35	491185,73	70,14	101,33
517	09/04/2023 11:00	167,77	7,11	3,6	20,31	24,83	276119,65	492072,56	70,12	101,33
518	09/04/2023 10:00	120,38	8,99	6,23	20,43	24,92	272738,51	484946,79	71,28	101,33
519	09/04/2023 9:00	190,83	1,8	7,16	20,38	25,54	276065,57	489012,99	67,83	101,33
520	09/04/2023 8:00	138,2	10,79	1,15	20,25	25,08	275161,9	489556,86	72,53	101,33
521	09/04/2023 7:00	174,81	1,74	1,09	20,19	24,78	275019,92	488465,13	69,86	101,33
522	09/04/2023 6:00	158,37	1,75	1,11	20,27	25,43	276979,98	488438,71	67,41	101,33
523	09/04/2023 5:00	236,13	1,67	1,02	20,07	26	276126,52	489880,14	69,85	101,33
524	09/04/2023 4:00	158,44	2,08	1,33	20,36	26,27	275617,31	487678,94	67,77	101,33
525	09/04/2023 3:00	158,81	1,64	1,05	20,33	26,63	274080,29	484387,89	66,49	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
526	09/04/2023 2:00	167,75	1,67	1,06	20,35	26,83	276203,18	487673,37	65,68	101,33
527	09/04/2023 1:00	163,61	1,78	1,14	20,35	27,7	276223,46	488017,14	64,54	101,33
528	09/04/2023 0:00	134,77	1,77	1,1	20,12	26,02	268423,11	479249,79	68,14	101,33
529	08/04/2023 23:00	140,77	1,63	0,99	20,25	25,83	254869,76	465136,28	68,65	101,33
530	08/04/2023 22:00	128,73	10,73	4,34	20,42	25,23	256882,14	462707,43	63,31	101,33
531	08/04/2023 21:00	173,66	10,32	5,75	20,42	26,08	258313,12	462700,58	60,56	101,33
532	08/04/2023 20:00	211,16	8,49	3,84	20,42	27,32	252262,41	448636,07	55,19	101,33
533	08/04/2023 19:00	7,93	1,73	1,28	20,87	27,66	42439,71	85835,43	34,87	101,33
534	08/04/2023 18:00	15,24	4,96	2,97	20,84	27,25	1755,15	1685,02	37,82	101,33
535	08/04/2023 17:00	20,48	1,7	1,07	20,91	26,97	62408,31	121107,74	47,26	101,33
536	08/04/2023 16:00	121,63	3,94	1,9	20,53	26,84	247630,4	448069,11	65,61	101,33
537	08/04/2023 15:00	135,04	1,67	1,08	20,3	26,63	268244,92	479328,94	66,95	101,33
538	08/04/2023 14:00	137,71	1,66	1,09	20,29	26,46	276811,63	491687,91	69,18	101,33
539	08/04/2023 13:00	96,9	1,73	1,09	20,34	25,11	278315,53	488216,86	67,9	101,33
540	08/04/2023 12:00	161,01	1,77	1,05	20,19	20,53	277100,87	490319,17	71,45	101,33
541	08/04/2023 11:00	152,31	3,32	1,78	20,31	20,45	280290,27	490127,4	68,74	101,33
542	08/04/2023 10:00	116,06	8,34	4,08	20,42	23,15	278852,87	486190,93	69,78	101,33
543	08/04/2023 9:00	126,92	3,11	2	20,49	24,37	280809,32	495179,1	68,26	101,33
544	08/04/2023 8:00	159,58	1,75	1,06	20,44	25,75	281243,65	494603	68,77	101,33
545	08/04/2023 7:00	89,06	1,88	1,21	20,6	26,32	287043	492369,38	56,58	101,33
546	08/04/2023 6:00	134,77	1,87	1,19	20,25	26,02	278597,52	487271,16	67,88	101,33
547	08/04/2023 5:00	177,38	1,67	1,2	20,23	25,7	257607,54	466027,54	68,58	101,33
548	08/04/2023 4:00	123,21	3,03	1,51	20,38	24,87	257266,68	467898,71	68,02	101,33
549	08/04/2023 3:00	117,25	2,47	3,19	20,4	23,93	258239,95	469041,77	71,03	101,33
550	08/04/2023 2:00	134,54	7,02	4,7	20,2	23,5	256350,2	464608,94	72,42	101,33
551	08/04/2023 1:00	200,78	2,81	1,36	20,28	25,16	254964,2	463686,49	69,29	101,33
552	08/04/2023 0:00	136,11	1,75	1,15	20,29	24,17	252477,58	462014,67	67,52	101,33
553	07/04/2023 23:00	145,79	1,95	1,26	20,4	23,82	253151,12	459984,29	68,67	101,33
554	07/04/2023 22:00	123,96	13,94	5,08	20,48	23,27	254440,38	460914,16	67,7	101,33
555	07/04/2023 21:00	208,69	7,23	1,92	20,25	23,3	253681,51	463933,57	64,22	101,33
556	07/04/2023 20:00	158,95	1,63	1,08	20,5	24,79	254694,93	451852,42	55,36	101,33
557	07/04/2023 19:00	11,52	1,65	0,97	20,86	25,02	41772,71	83996,5	38,2	101,33
558	07/04/2023 18:00	13,92	1,48	0,85	20,86	25,1	1832,74	1763,76	40,73	101,33
559	07/04/2023 17:00	17,83	2,15	0,99	20,88	24,67	116148,86	213309,74	53,15	101,33
560	07/04/2023 16:00	145,75	3,1	1,08	20,47	22,2	268562,05	479606,99	69,92	101,33
561	07/04/2023 15:00	133,01	1,47	0,89	20,35	13,33	271160,71	482871,94	70,98	101,33
562	07/04/2023 14:00	135,84	1,49	0,94	20,31	15,66	270377,17	478777,53	74,64	101,33
563	07/04/2023 13:00	141,66	1,61	1	20,23	13,89	269614,31	477104,09	75,85	101,33

3647
HÀN
CỔ
VIỆ
PH
ÊN-T

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
564	07/04/2023 12:00	134,84	1,54	0,96	20,31	10,23	270528,71	478423,03	74,37	101,33
565	07/04/2023 11:00	176,91	1,49	0,98	20,3	10,25	270067,34	478452,45	72,84	101,33
566	07/04/2023 10:00	149,43	5,12	2,78	20,47	16,81	270137,52	480165,59	70,65	101,33
567	07/04/2023 9:00	95,93	1,55	1,01	20,83	24,65	270762,17	481627,04	67,82	101,33
568	07/04/2023 8:00	156,43	1,51	0,94	20,56	24,47	267304,13	471437,01	73,06	101,33
569	07/04/2023 7:00	189,98	1,8	1,11	20,32	23,88	269974,67	479626,95	70,63	101,33
570	07/04/2023 6:00	150,33	1,88	1,21	20,3	24,77	268573,85	481833,52	70,96	101,33
571	07/04/2023 5:00	227,58	1,7	1,07	20,36	26,01	265433,35	474096,63	68,74	101,33
572	07/04/2023 4:00	185,22	9,95	3,4	20,4	24,77	259419,97	463838,96	67,62	101,33
573	07/04/2023 3:00	167,51	1,76	1,22	20,45	23,47	258968,58	459817,64	66,89	101,33
574	07/04/2023 2:00	166,62	1,74	1,1	20,37	21,65	257582,48	459008,39	67,12	101,33
575	07/04/2023 1:00	149,7	1,79	1,17	20,51	21,57	255182,16	457664,03	64,46	101,33
576	07/04/2023 0:00	217,67	1,63	1,05	20,44	23,97	249409,07	434002,2	54,3	101,33
577	06/04/2023 23:00	18,04	1,81	1,19	20,92	24,25	106961,08	177796,83	32,35	101,33
578	06/04/2023 22:00	6,49	11,45	5,21	20,95	23,78	1867,63	1741,28	30,81	101,33
579	06/04/2023 21:00	12,76	19,15	6,7	20,86	24,27	48743,39	85380,67	35,4	101,33
580	06/04/2023 20:00	79,31	68,48	9,27	20,71	24,81	249187,12	415321,24	38,51	101,33
581	06/04/2023 19:00	6,39	9,91	3,76	20,87	23,67	58657,68	91948,22	29,8	101,33
582	06/04/2023 18:00	9,18	15,42	5,84	20,85	22,22	1901,52	1770,57	30,05	101,33
583	06/04/2023 17:00	5,56	10,41	3,66	20,87	17,87	1930,16	1804,38	31,84	101,33
584	06/04/2023 16:00	3,35	30,03	12,24	20,82	14,14	1963,96	1821,09	32,68	101,33
585	06/04/2023 15:00	1,68	1,75	1,13	20,46	14,44	1940,89	1784,49	33,4	101,33
586	06/04/2023 14:00	1,68	1,67	1,05	20,54	12,22	1955,21	1793,64	33,61	101,33
587	06/04/2023 13:00	3,32	21,02	6,72	20,63	10,63	1953,62	1795,63	33,4	101,33
588	06/04/2023 12:00	6,68	5,8	1,75	20,83	9,43	1927,77	1775,73	32,82	101,33
589	06/04/2023 11:00	13,09	6,08	2,56	20,91	10,49	1898,34	1770,96	31,54	101,33
590	06/04/2023 10:00	10,2	13,88	5,29	20,93	13,92	1900,72	1730,38	29,81	101,33
591	06/04/2023 9:00	7,84	2,03	1,47	20,97	17,05	1882,43	1753,45	28,34	101,33
592	06/04/2023 8:00	4,43	4,58	2,44	20,96	18,53	1849,42	1743,51	27,05	101,33
593	06/04/2023 7:00	2,03	9,89	4,79	20,94	21,05	2243,96	1788,47	26,55	101,33
594	06/04/2023 6:00	1,97	16,26	7,78	20,91	23,41	1859,76	1761,81	26,06	101,33
595	06/04/2023 5:00	1,29	3,16	1,97	20,9	23,82	1879,64	1783,69	26,07	101,33
596	06/04/2023 4:00	1,64	15,1	7,48	20,9	23,38	1903,11	1783,69	26,27	101,33
597	06/04/2023 3:00	2	7,72	2,45	20,91	23,16	1868,11	3648,08	26,68	101,33
598	06/04/2023 2:00	1,52	1,69	0,96	20,92	22,35	1895,95	3704,58	26,7	101,33
599	06/04/2023 1:00	1,64	2,09	1,03	20,94	23,49	2706,93	1800,8	26,71	101,33
600	06/04/2023 0:00	1,5	4,98	1,43	20,93	23,64	2494,43	1781,12	26,7	101,33
601	05/04/2023 23:00	1,19	4,61	1,96	20,93	22,87	1847,93	1762,46	26,69	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
602	05/04/2023 22:00	1,53	5,65	2,53	20,98	23,21	1905,1	1799,21	26,7	101,33
603	05/04/2023 21:00	1,41	5,21	2,69	21,14	23,19	1844,64	1728,78	26,68	101,33
604	05/04/2023 20:00	1,4	1,51	0,93	21,13	23,15	2866,02	1791,65	27,33	101,33
605	05/04/2023 19:00	1,77	2,61	2,04	21,09	24,73	2977,78	1758,63	27,31	101,33
606	05/04/2023 18:00	1,95	15,62	7,85	21,06	24,65	1854,99	7479,13	27,67	101,33
607	05/04/2023 17:00	2,74	15,42	7,93	21,01	24,22	1890,38	1764,59	28,62	101,33
608	05/04/2023 16:00	2,92	12,2	6,73	20,93	23,09	1917,35	1772,01	30,05	101,33
609	05/04/2023 15:00	1,86	1,25	0,84	20,62	20,73	59844,12	94714,59	32,21	101,33
610	05/04/2023 14:00	1,5	2,35	1,01	20,53	13,91	1916,63	1763,4	32,91	101,33
611	05/04/2023 13:00	1,43	1,45	1,01	20,67	9,09	1957,71	1778,52	33,03	101,33
612	05/04/2023 12:00	1,44	1,45	0,92	20,85	10,73	1940,89	1787,27	32,08	101,33
613	05/04/2023 11:00	3,31	1,26	0,82	20,95	12,73	3004,43	1767,78	31,55	101,33
614	05/04/2023 10:00	7,72	4,58	2,22	20,96	16,34	2926,47	1773,74	29,83	101,33
615	05/04/2023 9:00	10,16	13,98	5,94	20,99	18,48	2350,81	1724,7	28,09	101,33
616	05/04/2023 8:00	8,52	1,43	0,88	21	20,82	2501,3	1766,58	26,64	101,33
617	05/04/2023 7:00	3,52	1,46	0,9	20,98	23,02	1900,32	1786,47	25,6	101,33
618	05/04/2023 6:00	2,68	3,54	1,46	20,95	24,76	2279,76	1785,28	25,44	101,33
619	05/04/2023 5:00	2,51	1,59	0,91	20,94	25,03	1882,43	1776,92	25,43	101,33
620	05/04/2023 4:00	3,23	5,32	2,57	20,92	25,44	1913,05	1801,59	25,45	101,33
621	05/04/2023 3:00	1,51	5,23	2,11	20,9	25,45	4266,44	3698,22	25,44	101,33
622	05/04/2023 2:00	1,8	16,18	7,74	20,89	25,03	1903,51	1792,84	25,44	101,33
623	05/04/2023 1:00	1,81	10,35	3,97	20,9	24,01	1909,87	3708,96	25,45	101,33
624	05/04/2023 0:00	1,83	1,44	0,94	20,93	23,84	1891,58	1784,09	25,45	101,33
625	04/04/2023 23:00	1,78	1,5	0,92	20,93	23,42	1905,5	1789,66	25,45	101,33
626	04/04/2023 22:00	2,2	15,83	7,19	20,94	23,3	2614,66	1777,33	25,44	101,33
627	04/04/2023 21:00	1,1	1,28	0,8	21,04	23,35	2431,52	1749	25,42	101,33
628	04/04/2023 20:00	1,36	1,46	0,95	21,05	23,62	1895,23	1770,7	25,49	101,33
629	04/04/2023 19:00	1,44	1,52	1	21,02	23,52	1905,09	1798,01	26,07	101,33
630	04/04/2023 18:00	1,33	1,48	0,9	21,01	22,77	1896,35	1792,44	26,59	101,33
631	04/04/2023 17:00	1,31	1,41	0,91	20,99	21,75	1897,14	1773,35	27,58	101,33
632	04/04/2023 16:00	1,58	4,52	2,04	21,05	22,18	1925,16	1785,89	28,29	101,33
633	04/04/2023 15:00	1,94	1,24	0,8	21,4	25,29	1865,29	1736,85	28,43	101,33
634	04/04/2023 14:00	1,33	1,46	0,94	21,31	25,48	1890,78	1767,77	28,25	101,33
635	04/04/2023 13:00	1,62	1,7	1,1	21,15	24,58	1922,6	1796,03	28,11	101,33
636	04/04/2023 12:00	1,73	1,75	1,12	20,99	25,17	1892,77	1774,94	27,21	101,33
637	04/04/2023 11:00	1,64	1,71	1,11	20,93	26,07	1854,98	1753,06	26,05	101,33
638	04/04/2023 10:00	1,99	10,02	4,5	20,97	25,83	1918,62	1810,35	25,65	101,33
639	04/04/2023 9:00	1,78	1,84	1,18	21,04	23,47	1879,61	1776,78	25,43	101,33

04-
 HÂN
 Ý
 NG
 HAI

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
640	04/04/2023 8:00	1,77	1,8	1,17	21,03	23,78	1869,3	1768,18	24,91	101,33
641	04/04/2023 7:00	1,89	1,92	1,29	21,01	23,85	1894,79	1790,67	24,82	101,33
642	04/04/2023 6:00	1,84	1,88	1,25	21	24,97	1886,4	1788,46	24,81	101,33
643	04/04/2023 5:00	1,91	1,95	1,25	20,98	25,53	1894,76	1797,22	24,82	101,33
644	04/04/2023 4:00	2,09	18,22	8,25	20,92	24,74	1867,31	1792,44	24,82	101,33
645	04/04/2023 3:00	1,89	1,91	1,24	20,9	24,36	1881,23	1784,88	24,82	101,33
646	04/04/2023 2:00	1,84	1,9	1,23	20,9	25,17	1881,63	1786,07	24,82	101,33
647	04/04/2023 1:00	1,85	1,9	1,22	20,91	25,35	1891,57	1790,06	25,02	101,33
648	04/04/2023 0:00	1,78	1,83	1,17	20,92	24,52	1860,55	1772,15	25,44	101,33
649	03/04/2023 23:00	1,76	1,8	1,12	20,92	24,48	1865,72	1767,38	25,42	101,33
650	03/04/2023 22:00	2,34	19,41	8,46	20,93	24,85	1926,57	1824,27	25,46	101,33
651	03/04/2023 21:00	1,75	1,79	1,13	20,99	25,11	1866,12	1765,79	25,44	101,33
652	03/04/2023 20:00	1,85	1,83	1,14	20,96	24,89	3187,39	1787,27	25,92	101,33
653	03/04/2023 19:00	1,77	1,85	1,19	20,97	24,72	1884,02	1778,92	26,07	101,33
654	03/04/2023 18:00	1,77	1,8	1,17	20,96	24,56	3102,75	1784,6	26,4	101,33
655	03/04/2023 17:00	1,73	1,81	1,21	20,97	25,12	1907,88	1796,02	26,9	101,33
656	03/04/2023 16:00	1,81	2,1	1,17	20,96	25,17	1921,8	1795,63	27,69	101,33
657	03/04/2023 15:00	1,64	1,7	1,02	20,87	25,9	2761,81	1789,66	29,25	101,33
658	03/04/2023 14:00	1,78	2,05	1,15	20,89	24,94	1929,36	1790,06	30,88	101,33
659	03/04/2023 13:00	1,63	1,79	1,13	20,96	20,91	1909,87	1775,33	31,44	101,33
660	03/04/2023 12:00	1,56	1,59	1,03	20,94	24,05	1884,82	1752,04	30,43	101,33
661	03/04/2023 11:00	1,61	1,69	1,12	20,93	24,12	1887,2	1767,78	29,92	101,33
662	03/04/2023 10:00	1,84	18,99	8,83	20,95	25,53	1936,01	1812,37	27,49	101,33
663	03/04/2023 9:00	1,69	1,81	1,14	21,01	26,08	1874,47	1764,59	25,89	101,33
664	03/04/2023 8:00	1,72	1,75	1,11	21,01	26,18	2581,64	1765,39	24,48	101,33
665	03/04/2023 7:00	1,74	1,79	1,15	21	26,63	3545,31	1752,47	24,16	101,33
666	03/04/2023 6:00	1,68	1,73	1,13	20,99	26,31	2556,59	1760,22	24,17	101,33
667	03/04/2023 5:00	1,73	1,81	1,11	20,97	25,76	2206,18	1781,7	24,18	101,33
668	03/04/2023 4:00	1,84	26,68	10,29	20,91	25,56	2195,44	1791,25	24,19	101,33
669	03/04/2023 3:00	1,86	1,9	1,21	20,89	25,71	3488,08	1791,65	24,19	101,33
670	03/04/2023 2:00	1,65	1,75	1,07	20,91	25,19	1866,92	1759,42	24,17	101,33
671	03/04/2023 1:00	1,72	1,77	1,15	20,93	24,8	1845,84	1757,03	24,17	101,33
672	03/04/2023 0:00	1,78	1,83	1,19	20,95	25,38	1963,97	1784,49	24,18	101,33
673	02/04/2023 23:00	1,5	1,56	1,03	20,96	25,69	4446,07	1745,53	24,16	101,33
674	02/04/2023 22:00	2,09	17,07	7,83	20,94	25,82	2323,12	1792,44	24,19	101,33
675	02/04/2023 21:00	1,74	1,75	1,12	20,96	25,51	2430,5	1766,18	24,17	101,33
676	02/04/2023 20:00	1,64	8,17	3,28	20,95	24,93	1847,43	1763	24,53	101,33
677	02/04/2023 19:00	1,73	5,14	2,49	20,94	24,35	1869,7	1756,63	24,79	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
678	02/04/2023 18:00	1,73	3,52	1,64	20,94	24,87	1865,32	1764,19	24,81	101,33
679	02/04/2023 17:00	1,7	1,77	1,12	20,94	25,64	1884,02	1773,34	24,8	101,33
680	02/04/2023 16:00	1,78	7,48	3,89	20,92	25,72	3171,48	1791,65	25,45	101,33
681	02/04/2023 15:00	1,71	1,78	1,15	20,87	26,69	1893,56	1764,99	26,06	101,33
682	02/04/2023 14:00	1,68	1,76	1,11	20,88	26,89	1896,35	1775,34	26,58	101,33
683	02/04/2023 13:00	1,71	1,78	1,15	20,91	26,52	1897,94	1786,47	27,27	101,33
684	02/04/2023 12:00	1,75	1,8	1,12	20,95	26,13	1899,13	1779,31	26,95	101,33
685	02/04/2023 11:00	1,71	1,79	1,13	20,99	26,05	1888,79	3700,21	26,48	101,33
686	02/04/2023 10:00	1,63	10,37	4,76	20,98	24,2	2759,43	1792,44	25,42	101,33
687	02/04/2023 9:00	1,61	12,16	5,36	20,98	26,19	1865,32	1759,02	24,31	101,33
688	02/04/2023 8:00	1,74	8,31	4,65	20,98	26,36	1873,28	1781,7	23,55	101,33
689	02/04/2023 7:00	1,69	1,75	1,11	20,99	25,7	1874,87	1787,27	22,98	101,33
690	02/04/2023 6:00	1,56	1,64	1,05	20,99	25,46	1833,11	1743,91	22,91	101,33
691	02/04/2023 5:00	1,64	1,69	1,04	20,97	25,85	1859,36	1769,76	22,92	101,33
692	02/04/2023 4:00	1,81	15,99	7,6	20,92	26,64	1878,45	1801,6	22,94	101,33
693	02/04/2023 3:00	1,64	1,72	1,11	20,88	26,88	1841,07	1762,6	22,66	101,33
694	02/04/2023 2:00	1,71	1,81	1,14	20,9	27,25	2401,07	1781,7	22,29	101,33
695	02/04/2023 1:00	1,63	1,66	1,1	20,91	26,58	1836,29	1759,82	22,28	101,33
696	02/04/2023 0:00	1,66	1,76	1,1	20,94	26	1842,29	1773,75	21,71	101,33
697	01/04/2023 23:00	1,58	1,63	1,04	20,95	26,78	1826,67	1777,65	21,67	101,33
698	01/04/2023 22:00	2	17,47	7,69	20,94	26,81	1877,01	1792,41	21,67	101,33
699	01/04/2023 21:00	1,55	1,58	1,06	21	26,46	1818	1733,56	21,65	101,33
700	01/04/2023 20:00	1,6	1,72	1,08	20,99	26,49	1847,06	1758,99	21,66	101,33
701	01/04/2023 19:00	1,63	1,67	1,09	20,99	26,02	1815,39	1751,61	21,66	101,33
702	01/04/2023 18:00	1,34	1,43	0,91	20,98	26	1775,44	1731,97	21,72	101,33
703	01/04/2023 17:00	1,73	1,78	1,15	20,98	26,01	1860,52	1789,37	22,3	101,33
704	01/04/2023 16:00	1,67	6,64	3,2	20,92	25,95	1854,01	1758,99	22,62	101,33
705	01/04/2023 15:00	1,57	1,66	0,97	20,72	25,41	1851,4	1749,87	23,16	101,33
706	01/04/2023 14:00	1,57	1,57	1,03	20,74	23,78	1842,34	1760,85	23,54	101,33
707	01/04/2023 13:00	1,49	5,59	2,43	20,77	22,66	1807,02	1755,6	23,04	101,33
708	01/04/2023 12:00	1,54	6,02	1,99	20,81	24,74	1827,54	1741,91	22,43	101,33
709	01/04/2023 11:00	1,64	2,01	1,07	20,87	25,74	1837,88	1776,93	21,92	101,33
710	01/04/2023 10:00	1,77	17,59	7,92	20,88	24,65	1849,23	1795,01	21,67	101,33
711	01/04/2023 9:00	1,78	3,04	2,01	20,84	26,3	1868,76	1793,27	21,11	101,33
712	01/04/2023 8:00	1,7	1,94	1,49	20,84	27	1854,98	1783,29	21,04	101,33
713	01/04/2023 7:00	1,57	1,63	1,02	20,85	26,74	1828,33	1763,4	21,03	101,33
714	01/04/2023 6:00	1,71	1,75	1,13	20,88	26,7	1843,45	1770,16	21,04	101,33
715	01/04/2023 5:00	1,57	1,64	1,06	20,9	26,28	1825,37	1762,46	21,04	101,33

TT	Ngày	CO (mg/Nm ³)	NOX (mg/Nm ³)	SO ₂ (mg/Nm ³)	O ₂ (%)	Bụi tổng (mg/Nm ³)	Lưu lượng 1 (m ³ /h)	Lưu lượng 2 (m ³ /h)	Nhiệt độ (°C)	Áp suất (KPa)
716	01/04/2023 4:00	1,7	25,85	11,1	20,93	26,89	1845,33	1776,78	21,05	101,33
717	01/04/2023 3:00	1,58	1,7	1,08	21,05	27,19	1813,62	1768,57	21,03	101,33
718	01/04/2023 2:00	1,68	1,75	1,15	20,97	27	1838,28	1786,08	21,31	101,33
719	01/04/2023 1:00	1,66	1,74	1,12	20,92	26,67	1840,67	1771,36	21,67	101,33
720	01/04/2023 0:00	1,71	1,83	1,15	20,93	26,83	1863,34	1790,85	21,73	101,33
QCVN 51:2017/BTNMT Bảng 3, cột A1 Kv = 0,8; Kq=0,8		640	544	320	-	128	-	-	-	-